



شهادة مطابقة CERTIFICATE OF CONFORMITY

Certificate Number:	25-06-154202/E25-06-160124/NB0007	رقم الشهادة:
Registration Date:	20/06/2025	تاريخ التسجيل:
Valid Until:	19/06/2026	صالحة لغاية:
Issued To:	TELECTRON AGENCIES & TRADING - L.L.C - O.P.C P.O. Box 2946 ,1001 Lulu Centre Building AL SALAM STREET Abu Dhabi ,United Arab Emirates	أصدرت إلى :
Sector:	Electrical	قطاع: كهرباء
Product Category:	ECAS-Ex	تصنيف المنتج: الأجهزة الكهربائية المعدة للاستخدام في الأجواء القابلة للانفجار
Product Sub-Category:	ECAS-Ex	التصنيف الفرعي للمنتج: الأجهزة الكهربائية المعدة للاستخدام في الأجواء القابلة للانفجار

Please check Schedule of certification for all product details يرجى التحقق من بيان التسجيل المرفق لجميع تفاصيل المنتجات

intertek
Total Quality. Assured.
جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology



Products are registered under the Emirates Conformity Assessment Scheme (ECAS) based on compliance to the Approved Standards المنتجات مسجلة في نظام تقويم المطابقة الإماراتي (إيكاس) بناء على مطابقتها للمواصفات المعتمدة

600565554

www.moiat.gov.ae

@MoIAT



تم اصدار هذا المستند الكترونيا ولا يحتاج إلى ختم أو توقيع.
This document has been issued electronically and doesn't require a stamp and signature.



بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

Company Name: TELETRON AGENCIES & TRADING - L.L.C - O.P.C اسم الشركة:
Product Category: ECAS-Ex الأجهزة الكهربائية المعدة للاستخدام
في الأجواء القابلة للانفجار تصنيف المنتج:
Certificate No.: 25-06-154202/E25-06-160124/NB0007 رقم التسجيل:
Registration Date: 20/06/2025 تاريخ التسجيل:
Valid Until: 19/06/2026 صالح لغاية:

Sr.No.	الاسم التجاري Brand Name	رقم الموديل Model Number	تفاصيل المنتج Product Details	تصنيف النجوم Star Rating	الأبعاد/الحجم Dimension/ Size	التقارير Reports	المواصفات المطبقة Applicable Standards	بلد المنشأ Country Of Origin
--------	-----------------------------------	-----------------------------	-------------------------------------	-----------------------------------	-------------------------------------	---------------------	---	---------------------------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

1	E2S	STExL1R008	Loudspeakers; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
---	-----	------------	--	-----	-----	---	--	-------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

2	E2S	STExL1R016	Loudspeakers; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
---	-----	------------	--	-----	-----	---	--	-------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

3	E2S	STExL1V070	Loudspeakers; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
---	-----	------------	--	-----	-----	---	--	-------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

4	E2S	STExL1V100	Loudspeakers; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
---	-----	------------	--	-----	-----	---	--	-------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

5	E2S	STExL2R008	Loudspeakers; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
---	-----	------------	--	-----	-----	---	--	-------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

6	E2S	STExL2R016	Loudspeakers; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
---	-----	------------	--	-----	-----	---	--	-------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

7	E2S	STExL2V070	Loudspeakers; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
---	-----	------------	--	-----	-----	---	--	-------------------



Total Quality. Assured.

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology



مطابق
COMPLIANT





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

8	E2S	STExL2V100	Loudspeakers; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
---	-----	------------	--	-----	-----	---	--	-------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology



تم إصدار هذا المستند الكترونياً ولا يحتاج إلى ختم أو توقيع.
This document has been issued electronically and doesn't require a stamp and signature.



بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

9	E2S	STExS1DC024(- SIL)	Sounders; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
---	-----	-----------------------	--	-----	-----	---	--	-------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

10	E2S	STExS1AC230	Sounders; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	-------------	--	-----	-----	---	--	-------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

11	E2S	STExS2DC024(- SIL)	Sounders; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	-----------------------	--	-----	-----	---	--	-------------------



Total Quality. Assured.

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

12	E2S	STExS2AC230	Sounders; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	-------------	--	-----	-----	---	--	-------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

13	E2S	STExC1X05DC012	Sounder Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



Total Quality. Assured.

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology



مطابق
COMPLIANT





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

14	E2S	STExC1X05DC024	Sounder Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	---	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

15	E2S	STExC1X05DC048	Sounder Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	--	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

16	E2S	STExC1X05AC230	Sounder Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	---	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology



تم إصدار هذا المستند إلكترونياً ولا يحتاج إلى ختم أو توقيع.
This document has been issued electronically and doesn't require a stamp and signature.



بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

17	E2S	STExB2X05DC012	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

18	E2S	STExB2X05DC024	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

19	E2S	STExB2X05DC024-SIL	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	--------------------	--	-----	-----	---	--	----------------



Total Quality. Assured.

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

20	E2S	STExB2X05DC048	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

21	E2S	STExB2X05AC115	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

22	E2S	STExB2X05AC230	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

23	E2S	STExB2X10DC024	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	---	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

24	E2S	STExB2X10DC024-SIL	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	--------------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

25	E2S	STExB2X10DC048	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	-------------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

26	E2S	STExB2X10AC115	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

27	E2S	STExB2X10AC230	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



Total Quality. Assured.

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology



مطابق
COMPLIANT





بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

28	E2S	STExB2X15DC024	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

29	E2S	STExB2X15DC024-SIL	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	--------------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

30	E2S	STExB2X15DC048	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	---	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

31	E2S	STExB2X15AC115	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

32	E2S	STExB2X15AC230	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



Total Quality. Assured.

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

33	E2S	STExB2X21DC024	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

34	E2S	STExB2X21DC048	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

35	E2S	STExB2X21AC115	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

36	E2S	STExB2X21AC230	Large Xenon Strobe Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

37	E2S	STExB2RT1DC012	Rotating Halogen Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

38	E2S	STExB2RT1DC024	Rotating Halogen Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

39	E2S	STExB2RT1AC115	Rotating Halogen Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

40	E2S	STExB2RT1AC230	Rotating Halogen Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	--	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

41	E2S	STExB2LD2DC024	Large LED Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	---	-----	-----	---	--	----------------



جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

42	E2S	STExB2LD2AC115	Large LED Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	---	-----	-----	---	--	----------------



Total Quality. Assured.

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology



مطابق
COMPLIANT





بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

43	E2S	STExB2LD2AC230	Large LED Beacons; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	----------------	---	-----	-----	---	--	----------------



Total Quality. Assured.

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology



مطابق
COMPLIANT





بيان التسجيل
SCHEDULE OF CERTIFICATION
Ministry of Industry and Advanced Technology

44	E2S	STExJ2-A/H/E	Large Junction Box; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
----	-----	--------------	--	-----	-----	---	--	----------------



Total Quality. Assured.

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology



مطابق
COMPLIANT





بيان التسجيل SCHEDULE OF CERTIFICATION

Ministry of Industry and Advanced Technology

45	E2S	STExH1-A/H/E	Heat Detector; Type of Protection: Flameproof "db", Increased Safety "eb" and Dust Ignition Protection by Enclosure "tb"; Marking: Ex db IIC T6...T3 Gb, Ex eb IIC T6...T4 Gb, Ex db eb IIC T6 Gb, Ex tb IIIC T75°C... T137°C Db, -50°C to +125°C	N/A	N/A	IECEX ULD 16.0017X DK/ULD/ExTR16.0017/00 DK/ULD/ExTR16.0017/01 DK/ULD/ExTR16.0017/02 DK/ULD/ExTR16.0017/03 DK/ULD/ExTR16.0017/04 DK/ULD/ExTR16.0017/05 DK/ULD/ExTR16.0017/06 GB/SIR/QAR06.0020/13	UAE.S IEC 60079-0, UAE.S IEC 60079-1, UAE.S IEC 60079-7, UAE.S IEC 60079-31	United Kingdom
Nothing Follows								



Total Quality. Assured.

جهة معينة من قبل وزارة الصناعة والتكنولوجيا المتقدمة
Notified body by Ministry of Industry and Advanced Technology



مطابق
COMPLIANT

